The GenericSuite Software Library

6

</>

E

{+}

Exploring the Significance of Generic Programming for Innovation in Software Development

https://genericsuite.carlosjramirez.com

Presentation



Carlos J. Ramírez

- Computing Science Diploma, IUNP, Caracas, 1987.
- Started Computer Science Bachelor's Degree, Universidad Alejandro Humbold, Caracas, 2004.
- Software Engineer @ SourceMeridian.
- 37+ years of experience in Software Development.





Content



- Preamble
- Motivation, why was it created?
- <u>Generic Programming</u>
- Origin of GenericSuite
- Evolution
- What does GenericSuite offer?
- How does GenericSuite work?
- Key functionalities showcase
- <u>Tools used</u>
- <u>Commitment</u>
- <u>Conclusions</u> / <u>Q&A</u>



Preamble



Software development constantly face efficiency and code reuse challenges.

GenericSuite was designed to streamline Apps development.

Framework allows to focus on business logic.

Tools to facilitate APIs and UI development.

Add AI and RAG* to Apps.

Utilities to facilitate tasks in the software development life cycle (SDLC).

Motivation: Why GenericSuite was created?

- Have you ever had to copy and paste code from one application to another?
- Initially created to avoid code redundancy in my own projects.
- Gain professional experience in Python and React.js.
- Experience the NPMJS and PyPi libraries creation.
- Accelerate application development.



What's Generic Programming?

- Generic Programming = make the code parameterizable and reusable.
- Apply DRY principle (**Don't Repeat Yourself**): minimize redundancy.
- Avoid WET principle (**Write Everything Twice**): e.g. copy and paste code.
- These principles facilitate more efficient and maintainable software development.



GenericSuite Origin



- Mid-80s: first contact with the generic CRUD editor concept and other elements generated with generic programming from structured configurations (menu, security, reports).
- I worked in a company that handled these concepts using the trendy languages and databases of the time (Clipper and dBase III), with the configurations stored in the database and generated by a home-made program.
- In my opinion, this concept was way ahead of its time.

GenericSuite Origin (2)



- 1999 > 2000: I made a generic CRUD editor with Microsoft ASP (Active Server Pages) for a CMS like WordPress, with the data entry form definitions in the Database.
- 2020: during the pandemic, I created new App called FynApp, and started the generic CRUD editor development in React.js, with the "hard coded" configuration structures in the code.



Evolution



- The emergence of ChatGPT at the end of 2022 and the whole AI boom made me very curious and eager to include some of that in FynApp.
- During PyCon Colombia in June 2023, I came up with the idea of bringing generic programming to the Backend.

Evolution (2)



- June 2023: development of generic Backend modules to handle CRUD, automatic generation of Endpoints and Menus with the same Frontend configurations, using JSON files stored in a common repository.
- July 2023: I participated in the Google Vertex AI Hackathon in Lablab.ai and that gave me the ideas to create **FynBot**: the artificial intelligence assistant for FynApp, based on the OpenAI APIs and GPT Functions.

Evolution (3)



- August > November 2023: Image Generation (Dall-E), Audio (TTS), Image Recognition (Vision).
- Deployment with AWS SAM (Serverless Application Model).
- December 2023: Implementation of LangChain to use any LLM/NLP/Embeddings model and not being tied to a single provider.
- Local DNS and access to the development environment with HTTPS.
- January 2024: Google Gemini and Hugging Face are included in the model offering.

Evolution (4)



- February 2024: Extraction of generic programming from FynApp. GenericSuite was born.
- The first version was published at the beginning of March 2024 and the functional libraries were published in NPMJS and PyPi in April 2024.
- This is the first formal contribution I've made to the Open-Source community.

What does GenericSuite offer?

- GenericSuite Core:
 - Frontend
 - Backend
 - Scripts





- Extensions:
 - AI (RAG, LLM, NLP)
 - Barcode
 - Maps



Sheet

- Backend: Python 3.9+
- Frontend: React.js
- Mobile: Flutter
- IAC / Platform: AWS
- AI: OpenAI GPT, Google Gemini, Anthropic Claude, Hugging Face Models (anyone with conversational capability), Clarifai.
- Operating System: Linux (servers, development) / MacOS (development).



GenericSuite Core

- Generic CRUD editor: create-read-updatedelete code that can be parameterized and extended. There's no need to rewrite every table editor.
- Menu Builder: to configure the hierarchical structure, user security levels, and React.js components.
- Endpoint Builder: To configure the entry points (URLs) of APIs and Python methods.
- All configurations in JSON files.



GenericSuite Core (2)



- Database Abstraction:
 - The backend can use either DynamoDB or MongoDB.
 - DynamoDB can be accessed using the same MongoDB syntax.
- Framework Abstraction: for the development of APIs in Python with FastAPI, Chalice or Flask indistinctly.
- Parameterization from the database: to expand the possibility of configuring the system dynamically.

GenericSuite Core - Scripts



- Scripts to build local environment allows you to run the application on the development computer with HTTP/HTTPS connections, local DNS, and local MongoDB database.
- Deployment scripts: facilitates the deployment of the application in the different environments: QA, Staging, Demo and Production.
 - Frontend: on S3 buckets with "Static website hosting" option.
 - Backend: using SAM, using API Gateway, Lambda Functions, CloudFormation, ECR (Elastic Container Registry), CloudWatch.
- Domains: handled by AWS Route 53 and ACM (AWS Certificate Manager).



GenericSuite Al

- Endpoint to implement NLP (Natural Language Processing) conversations using on OpenAI APIs or the LangChain Framework.
- Management of OpenAI, Google Gemini, Anthropic, Ollama and Hugging Face models.
- Computer Vision (OpenAl GPT-40 / GPT4 Vision, Google Gemini Vision, Clarifai Vision).

GenericSuite AI (2)



- Speech-to-text (OpenAl Whisper, Clarifai Audio Models).
- Text-to-speech (OpenAI TTS-1, Clarifai Audio Models).
- Image Generator: OpenAl DALL-E 3, Google Gemini Image, Clarifai.
- Vector Index: FAISS, Chroma, Clarifai, Vectara, Weaviate, MongoDBAtlasVectorSearch.
- Embedding Engines: OpenAI, Hugging Face, Clarifai, Amazon Bedrock, Cohere y Ollama.

GenericSuite AI (2)



- Web search tool for AI agents.
- Web Scrapping tool and web page analysis.
- Embeddings processors for JSON, PDF, Git, and YouTube.
- Language translation tools for AI agents.
- User plan, OpenAI API key, and model name attributes in the user profile, to allow free plan users to use their own OpenAI credits.



How does GenericSuite work?



- As a library of reusable components and Frontend/Backend services that can be easily integrated into any React.js and Python project.
- It offers specific tools for the implementation of AI functionalities, such as natural language processing and data analysis, simplifying the incorporation of these advanced technologies into your applications.
- Open-Source libraries in NPMJS and PyPi registries.



Documentation https://genericsuite.carlosjramirez.com/

Key functionalities showcase



Practical examples:

- How GenericSuite can be used to create personalized recommendations in a Calorie Deficit App.
- Automate tasks using AI Bots.
- Improve the user experience.



	FynApp. NUTRITION IN YOUR POCKET	
Username		
Password		
Login		

🗧 🔵 💿 🕺 FynApp by Mediabros 🛛 🗙	+		
\leftarrow \rightarrow C $\stackrel{2 -}{=}$ app-qa.fynapp.com		[Home Page - Admin User]	
🏥 Apps 💎 OneTab D YouTube 💸 Platzi 🧧	🖥 Google Traductor 🕒 Espiritual 🕒) Colombia 🗀 Bancos 🗀 Noticias 🗀 Cine 🗀 Tecnologia 🗀 OCI	R 🗅 Musica 🗅 Deportes 🛛 🚿 🖓 🖓 🖓 🕞 Musica
FynApp 0.2.7 Home	Admin - Foods - FynBOT		Signed in as: [Admin] -
Hi Admin!	Users		
	Food Moments		
	Ingredients (general)		
	Configuration Parameters		
	Clarifai Models		







>

Search:



🔴 🔴 🕺 FynApp by Mediabros x 🕂	
← → C ≌ app-qa.fynapp.com/#/user_ingredients	6
🎬 Apps 👎 OneTab 🗈 YouTube 🔇 Platzi 🔄 Google Traductor 🗀 Espiritual 🗀 Colombia 🗀 Bancos 🗀 Noticias 🗀 Cine 🗀 Tecnologia 🗋	
FynApp 0.2.7 Home Foods - FynBOT	Signed
Ingredients - Update	
Туре	
Ingredient	CRUD Editor –
Name *	
AREPAS CORN CAKE, AF 🛠 G	Ingredients
Calories *	
118	
Calories Unit *	(Data Entry Form)
Calories (KCAL)	
Serving size *	
110	
Serving size unit *	
Grams (g)	
Brand Name	
LA ABUELA CARMEN	

ents

Observations



Observations







CRUD Editor -Daily Meals

 Data Form with 1-N Relationship section

Consumo de alimentos en un dia normal

12/29/2023

Total Calories

815 Calorie Deficit

Daily Calorie Goal

2247.40

Observations

Update					Cancel			
Meal Ing	gredients - Listing 🛛							
TYPE	NAME	CALORIES	CALORIES UNIT	SERVING SIZE	SERVING SIZE UNIT	QTY.	TOTAL	
	tortilla de jamón y queso	315	Calories (KCAL)	1	Unit	1	315	nada
	arepa con queso	350	Calories (KCAL)	1	Unit	1	350	nada

🔴 🔴 🕘 🔯 FynApp by Mediabros 🛛 🗙 🕂	
← → C º₅ app-qa.fynapp.com/#/profile	
🏥 Apps 💎 OneTab 🕩 YouTube 📀 Platzi 🤄 Google Traductor 🗀 Espiritual 🗀 Colombia 🗅 Bancos 🗀 Noticias 🗋] Cine 🗋 Tecnologia 🗋 OCR 🗋 Musi
FynApp 0.2.7 Home Foods - FynBOT	



User Profiles - Update

irst Name *	
Carlos J.	
ast Name *	User Profile
Ramirez	Editor
mail *	Luitoi
example@email.org	
sirthday *	Single-record editor
09/27/1966	
Gender *	
Male	
raining Days *	
6	
raining Hour *	
14:00	
leight *	

FynApp by Mediabros × +	
← → C = app-qa.fynapp.com/#/profile	
🎬 Apps 👎 OneTab 🕨 YouTube 📀 Platzi 🄄 Google Traductor 🗀 Espiritual 🗀 Colombia 🗀 Bancos 🗀 Noticias 🗀 Cine 🗀 Tecnologia 🗋 OCR	C Musica
Billing Plan	
Premium	
Active	Lloor Drofilo
Yes	User Prome
OpenAl API Key	Editor
	Luitoi
OpenAl Model (defaults to gpt-3.5-turbo)	
	• API Kove de IA
Client Since	Al I Reys de IA.
08/18/2022, 12:00 AM	 Password Change.
PASWORD CHANGE	
New password	
Repeat new password	

Configuring Tables and CRUD Editor

"name": "id", "required": true, "label": "ID", "type": "_id", "readonly": true, "hidden": false, }, ... "name": "firstname", "required": true, "label": "First Name", "type": "text", "readonly": false, "listing": true

}, ſ

"name": "lastname", "required": true, "label": "Last Name", "type": "text", "readonly": false, "listing": true }, ...

"name": "status", "required": true, "label": "Active", "type": "select", "select_elements": "TRUE_FALSE", "default_value": "1", "listing": true

"name": "plan",
"label": "Billing Plan",
"type": "select",
"select_elements": "BILLING_PLANS",
"default_value": "1",
"listing": true
}, ...

},

"name": "update date", "label": "Last update", "type": "datetime-local", "readonly": true, "default value": "current timestamp", "listing": false }, "name": "label0", "type": "hr" }, "name": "label1", "label": "PASWORD CHANGE", "type": "label" },, ...



Menu Configuration

"title": "Home", "location": "top_menu", "type": "nav_link", "path": "/", "element": "HomePage", "hard_prefix": false, "reload": true

}, ...

"title": "Admin", "location": "top_menu", "type": "nav_dropdown", "sec_group": "admin", "sub_menu_options": [

}, ...

"type": "editor", "sec_group": "admin", "title": "Users", "element": "Users_EditorData" }, ...



"title": "Al Assistant",
 "location": "top_menu",
 "type": "nav_link",
 "sec_group": "users",
 "path": "/chatbot",
 "element": "Chatbot"
}, ...

API Endpoint Configuration



```
{
```

```
"endpoint": "/",
```

"methods": ["GET", "POST", "PUT", "DELETE"],

```
"handler_type": "GenericEndpointHelper",
```

"view_func": "lib.util.generic_endpoint_builder.generic_route_handler",

```
"params": {
```

"json_file": "general_config"

```
}
```

ł,



```
"name": "ai_chatbot_conversations",
    "url_prefix": "ai_chatbot_conversations",
    "routes": [
       "endpoint": "/",
        "methods": ["GET", "POST", "PUT", "DELETE"],
        "handler_type": "GenericEndpointHelper",
        "view func":
"lib.util.generic_endpoint_builder.generic_route_handler",
        "params": {
         "json_file": "ai_chatbot_conversations"
```

\leftarrow \rightarrow C \cong app-qa.fynapp.com/#/chatbot		🔻 🍥 🏽 🕘 🔽 🛛
🏥 Apps 👎 OneTab 🕨 YouTube 🔷 Platzi 🄄 Google Traductor	🗅 Espiritual 🗀 Colombia 🗀 Bancos 🗀 Noticias 🗀 Cine 🗀 Tecnologia 🗀 OCR 🗀 Musica 🗀 Dep	portes 🛛 🔉 🗀 All Bookmar
FynApp 0.2.7 Home Foods - Fyn	nBOT [Al Assistant] Signed in as: [C	arlos J.] -
New Conversation Last Month y en esta otra imagen que hay ? que hay en la imagen ?	Eres un experto en hacer presentaciones en powerpoint. Quiero que me des los textos de la presentac charla llamada "La Librería de Software GenericSuite". En esta charla hablaremos sobre el origen (en e generica y el principio DRY - don't repeat yourself), por qué se creó y cómo funciona la librería Generi facilitar el desarrollo de aplicaciones en Python y React.js, incluyendo funcionalidades de IA.	cion correspondientea una este caso la programacion icSuite, diseñada para
que hay en esta imagen ? https://fynapp-chatbot-a que hay en la siguientes imagen: https://fynapp-ch que hay en la imagen ?	Para tu presentación sobre "La Librería de Software GenericSuite", te propongo una estructura con te que solicitaste. Esta estructura te ayudará a guiar a tu audiencia a través del origen, el propósito y el f GenericSuite, resaltando su importancia en el desarrollo de aplicaciones con Python y React.js, y su ir funcionalidades de IA.	extos para cada sección funcionamiento de ntegración con
que hay en la imagen ?	 **Diapositiva 1: Portada** - Título: "Explorando GenericSuite: Innovación en Desarrollo de Software"	
que hay en la siguiente imagen? que hay en la imagen ?	- Subtítulo: "Uniendo Python, React.js y la Inteligencia Artificial" - Tu nombre y fecha	
Eres un experto en hacer presentaciones en power a eres un experto en hacer presentaciones en power	**Diapositiva 2: Agenda** - Breve introducción	
March 2024 Give me the AREPAS CORN CAKE, AREPAS CORN T quien eres y cual modelo estas usando ?	- Origen de GenericSuite - Por qué se creó GenericSuite	
cuantas calorias tiene el arroz con pollo ?		/ > 🔮 🥝 🛛





FynApp 0.2.7 Home Foods - FynBOT

Signed in as: [Carlos J.] -

/tts: 123 /tts: que bruto es este HP Gpt3.5 no joda /tts: gracias mi Dios por tanto /tts: Dios por favor haz que funcione el TTS en QA 👕 /tts: gracias mi Dios porque ya funciona el TTS en 🦷 /tts: gracias mi Dios porque ya funciona el TTS en 🦷 /tts: Gracias Dios mio por este nuevo día. /tts: Gracias Dios mio por este nuevo día. Dios por 👕 /tts: Gracias Dios mio por este nuevo día. Dios por 🔳 /tts: Gracias Dios mio por este nuevo día. Dios por 👕 /tts: Dios por favor ayudame una vez mas. Gracias 👕 que hay en la image? Dame un mapa político a Colombia. /tts: gracias Dios mio porque estoy en recuperacio 🔳

/tts: gracias Dios mio porque estoy en recuperacio



La imagen muestra una clásica comida rápida compuesta por una hamburguesa y un lado de papas fritas. La hamburguesa tiene un pan con semillas de sésamo en la parte superior, y parece contener una hamburguesa de carne, hojas de lechuga, rodajas de tomate, cebolla y pepinillos. Todo ello se acompaña de un vaso de una bebida oscura, que podría ser refresco, al fondo. Todo se presenta en un plato sobre una mesa con un mantel o servilleta debajo. Este tipo de comida es popular en muchas partes del mundo y es conocida por su sabor y conveniencia, aunque a menudo se discute sobre su valor nutricional y su impacto en la salud cuando se consume con frecuencia.



🛑 🔵 💿 🥂 FynApp by Mediabros 🛛 🗙 🎯 The Generic	Suite × +
← → C 😄 app-qa.fynapp.com/#/chatbot	[Al Assistant - Photo Shoot & Image Recognition] 🛛 🗳 🖈 🔻 💿 🛞 💿 🖆 🛛 👼 🗄
🏥 Apps 🔻 OneTab 🕨 YouTube 〈 Platzi 📴 Google Traducto	r 🗅 Espiritual 🗀 Colombia 🗀 Bancos 🗀 Noticias 🗀 Cine 🗀 Tecnologia 🗀 OCR 🗀 Musica 🗀 Deportes 🛛 🚿 🗀 All Bookmarks
FynApp 0.2.7 Home Foods - Fy	nBOT Signed in as: [Carlos J.] -
cuales frutas conforman los frutos rojos ?	Estás comiendo un mango. Dependiendo del tamaño y la variedad, un mango mediano puede tener alrededor de 150 calorías.
dame la imagen de un jamon serrano español 🛛 🧻	Los mangos son frutas tropicales conocidas por su sabor dulce y textura jugosa, y también son una fuente rica de vitaminas A y C. así como fibra
dame la imagen de un kiwi 👘	
dame la imagen de un melon	no es un mango
calorias de la piña 📋	
cuantas calorias tiene ese pan de jamon ?	Lo siento, no pude identificar la imagen. ¿Podrías describirme qué estás comiendo?
November 2023	estoy comiendo esto
Give me the Arroz cocido calories in KCAL includin	
Que hay en la foto?	Attachment: "image_capture_2023_11_25T19_44_26.jpg" (0.01 Mb)
estoy comiendo esto, que es y cuantas calorias tie 👕	
describe la foto	
dame la lista de mis ingredientes	
dame la lista de mis ingredientes	
busca en la web todo lo que consigas sobre carlos 👕	
que contine la imagen y si es de comida, cuantas (👕	Estás comiendo una manzana verde. Parece ser una manzana fresca y posiblemente crujiente, una opción saludable como
que es y cuantas calorias tiene?	snack o parte de una comida. Las manzanas verdes a menudo son ligeramente ácidas y refrescantes. ¡Disfrútala!
que es y cuantas calorias tiene ?	
cuantas calorias tiene?	



	-
crea imagen de una arepa de huevo colombiana	Î
crea imagen de una arepa de huevo	Î
crea una imagen de una arepa de huevo	Î
crea una imagen de una arepa de huevo	Î
dame la imagen de una arepa de huevo	Î
calorias de la arepa de huevo	Î
calorias de la arepa de huevo	Î
Haz la imagen de la una arepa de queso amarillo	Î
December 2023	
agregalo a mis ingredientes	Î
en que fecha agregaste ese desauyno ?	Î
Esta mañana me tomé una taza de café con leche	Î
que tengo registrado en mis comidas de hoy ?	Î
hoy al levantarme me tome una taza grande de ca	1
Calorías del arroz con guandú	Î
Hola, hola, hola.	Î
Haz la imagen de la una arepa de queso amarillo	Î

🛑 😑 🌑 🔯 FynApp by Mediabros

× 💿 The GenericSuite

×





🔴 🔴 🌑 🕺 FynApp by Mediabros 🛛 🗙 🥥 The Generics	uite × +	
igstarrow igstarro	[Al Assistant – Code Generator]	
🏥 Apps 💎 OneTab 🗈 YouTube 💸 Platzi 🔄 Google Traductor	🗀 Espiritual 🗀 Colombia 🗀 Bancos 🗀 Noticias 🗀 Cine 🗀 Tecnologia 🗀 OCR	Musica Deportes Nusica All Beekmarks
FynApp 0.2.7 Home Foods - Fyn	BOT	Signed in as: [Carlos J.] -
Give me the Arroz cocido calories in KCAL includin	Dame un componente react que muestre un contenido en un pop-up modal usando	o react-bootstrap
Que hay en la foto?		
estoy comiendo esto, que es y cuantas calorias tie 👕	Para mostrar un contenido en un pop-up modal usando React y react-bootstrap, p	uedes usar el siguiente componente:
describe la foto	jsx	Сору
dame la lista de mis ingredientes	import Doost (useState) from Incost!	
dame la lista de mis ingredientes	<pre>import { Button, Modal } from 'react-bootstrap';</pre>	
busca en la web todo lo que consigas sobre carlos 👕	<pre>function ContentModal() { const [above astShove] = wasState(false); </pre>	
que contine la imagen y si es de comida, cuantas (👕	const [snow, setSnow] = useState(false);	
que es y cuantas calorias tiene?	<pre>const handleClose = () => setShow(false); const handleShow = () => setShow(true);</pre>	
que es y cuantas calorias tiene ?	return (
cuantas calorias tiene?	<> <button onclick="{handleShow}" variant="primary"></button>	
Dame un componente react que muestre un conte	Open Modal 	
Tengo eso en mis ingredientes ?	<modal onhide="{handleClose}" show="{show}"> <modal.header closebutton=""></modal.header></modal>	
Give me the Mix Arandanos La Especial calories in 👕	<modal.title>Modal Heading</modal.title>	
cuantas calorias en totoal tiene la comida de la fot 👕	<modal.body> Modal Content Goes Here</modal.body>	
cuantas calorias tiene ? pista: es un plato navideñc 👕	<modal.footer></modal.footer>	
Give me the Avena en Hojuelas Toning calories in F		

🛑 🔵 💿 🔯 FynApp by Mediabros 🛛 🗙 🍥 The Generic	Suite X +
\leftarrow \rightarrow C \leftrightarrows app-qa.fynapp.com/#/chatbot	[Al Assistant – RAG + GPT Functions] 🛛 🗠 🖈 🔻 💿 🚳 👩 💋 🗔 🔅
🏥 Apps 🔍 OneTab 🗈 YouTube 💸 Platzi 🔄 Google Traducto	r 🗅 Espiritual 🗅 Colombia 🗅 Bancos 🗅 Noticias 🗅 Cine 🗅 Tecnologia 🗅 OCR 🗅 Musica 🗅 Deportes 🛛 🔪 🗖 Al-Bookmarks
FynApp 0.2.7 Home Foods - Fy	mBOT Signed in as: [Carlos J.] ▼
dame la imagen de un jamon serrano español 🛛 🧻	dame la lista de mis ingredientes
dame la imagen de un kiwi 👕	Aquí tienes la lista de tus ingredientes:
dame la imagen de un melon	- Arepas de maíz La Abuela Carmen (118 kcal por 110g)
calorias de la pina	- Aceite de Oliva Euro (41.5 kcal por cucharadita)
November 2023	- Arepa Frita (302 kcal por 100g)
Give me the Arroz cocido calories in KCAL includin 👕	- Arepa de Harina PAN (371 kcal por 100g)
Que hay en la foto?	- Atún en Aceite Euro (228 kcal por porción)
estoy comiendo esto, que es y cuantas calorias tie 👕	 Atún en Agua Euro (112 kcal por porción)
describe la foto	- Avena en Hojuelas Quaker (90 kcal por 13g)
dame la lista de mis ingredientes	- Avena en Hojuelas Toning (117 kcal por 24g)
dame la lista de mis ingredientes	- Café negro (2 kcal por taza)
busca en la web todo lo que consigas sobre carlos 👕	- Cambur / Banano (110 kcal por unidad)
que contine la imagen y si es de comida, cuantas c	- Carne Molida preparada (172 kcal por 80g)
que es y cuantas calorias tiene?	- Carne de res a la plancha (200 kcal por 100g)
que es y cuantas calorias tiene ?	- Cacas Superior Carona (83 keal par 200ml)
cuantas calorias tiene?	

		carlosramirez@MacBook-F	Pro-M1: ~/desarrollo/me	diabros_	repos/github/prico_frontend			て第1
icsuite-be-ai (-zsh) ೫1	nericsuite-be (-zsh)	te-be-scripts (-zsh) #3	nericsuite-fe (-zsh)	¥4	icsuite-fe-ai (-zsh)	make (python)	೫6rico_frontend (-zs	h) #7 +
18%	1 II 3.6 GB	☴ _□ 0.0 kB↓ _ I _ I _ 0.0 kB↑	្រ នៃ -zsh		Circlerico_frontend	ドロード PC-4_create_fe_rep	oo_and_ba ♦ Q∼ chain =	
→ prico_frontend gi	t:(PC-4_create_fe_r	epo_and_basic_app) ×	\$ make run					
options: {								
key: <buffer 2<="" td=""><th>d 2d 2d 2d 2d 42 45</th><th>6 47 49 4e 20 52 53 41</th><td>20 50 52 49 56</td><td>41 54</td><th>45 20 4b 45 59 2d 2</th><td>d 2d 2d 2d 0d 0</td><td>0a 4d 49 49 45 70 4</td><td>1 49 42</td></buffer>	d 2d 2d 2d 2d 42 45	6 47 49 4e 20 52 53 41	20 50 52 49 56	41 54	45 20 4b 45 59 2d 2	d 2d 2d 2d 0d 0	0a 4d 49 49 45 70 4	1 49 42
41 41 4b 43 41 51 4	5 41 32 1656 mc	ore bytes>,						
cert: <buffer< td=""><th>2d 2d 2d 2d 2d 42 4</th><th>-5 47 49 4e 20 43 45 52</th><td>2 54 49 46 49 43</td><td>3 41 5</td><th>4 45 2d 2d 2d 2d 2d</th><td>0d 0a 4d 49 49</td><td>44 69 54 43 43 41</td><td>6e 47 6</td></buffer<>	2d 2d 2d 2d 2d 42 4	-5 47 49 4e 20 43 45 52	2 54 49 46 49 43	3 41 5	4 45 2d 2d 2d 2d 2d	0d 0a 4d 49 49	44 69 54 43 43 41	6e 47 6
7 41 77 49 42 41 67	49 46 4e 2658 m	ore bytes>						
}								
}								
s sis Twebnack-dev-ser	verl Project is rur	nina at:						
<i> [webpack dev ser</i>	ver] Loopback: http	s://localhost:3000/						
<i> [webpack-dev-ser</i>	ver] On Your Networ	k (IPv4): https://192	.168.1.4:3000/					
<i> [webpack-dev-ser</i>	ver] On Your Networ	k (IPv6): https://[fe8	80::1]:3000/					
<i> [webpack-dev-ser</i>	ver] Content not fr	om webpack is served	from '/Users/car	losra	mirez/desarrollo/med	iabros_repos/gi	ithub/prico_fronten	d/publi
c' directory								
<i> [webpack-dev-ser</i>	ver] 404s will fall	back to '/index.html'						
[BABEL] Note: The co	de generator has de	optimised the styling	of /Users/carlc	osrami	rez/desarrollo/media	bros_repos/gith	hub/prico_frontend/	node_mo 🛛
dules/react-dom/cjs/	react-dom.developme	nt.js as it exceeds th	ne max of 500KB.					_
asset favicon ico 3	78 KiB Fomittod]	(name: matri)						
asset index html 2.4	18 KiB [emitted]							
orphan modules 1.69	MiB [orphan] 513 mc	dules	[D		h a Evantanal in tha la a	- 1	1	
runtime modules 27.7	′KiB 15 modules		[Rur	ining t	ne Frontend in the loc	at environment]	
modules by path ./no	de_modules/ 5.29 Mi	В						
javascript modules	5.29 MiB 1116 modu	les						
json modules 1.52	KiB			-				
./node_modules/c	haracter-entities-l	egacy/index.json 1.24	KiB [built] [co	ode ge	nerated]			
./node_modules/c	haracter-reference-	invalid/index.json 289	9 bytes [built]	Lcode	generated			
modules by path ./Sr	C/ (2.5 KLB /src/components/Regi	stry/ 68 8 KiB 13 modu	بامد					
/src/index isx 39	5 bytes [built] [co	de generated]						
./src/components/A	pp/App.isx 817 byte	s [built] [code generation]	atedl					
./src/components/H	lomePage/HomePage.js	x 1.04 KiB [built] [co	ode generated]					
./src/components/A	bout/About.jsx 1.47	' KiB [built] [code gen	nerated]					
webpack 5.91.0 compi	led <mark>successfully</mark> in	15746 ms						

00			make run				て第1
icsuite-be-ai (-zsh) ೫1	nericsuite-be (-zsh)	¥2te-be-scripts (-zsh)	nericsuite-fe (-zsh)	icsuite-fe-ai (-zsh) #5	make (python) #6	rico_frontend (-zsh	0 #7 +
17%	III 3.5 GB	⊟_ 0.0 kB↓ 0.0 kB↑	🔋 ជំ python - python - sh - make	🗀 ~/d/m/github/prico_backend	PC-3_create_be_repo_and_b.	✦ Q~ chain =	
)→ prico_backend git	::(PC-3_create_be_	repo_and_basic_app) 🗴 🤉	\$				
→ prico_backend git	::(PC-3_create_be_	_repo_and_basic_app) × 🤅	\$ make run			白	
sh node_modules/gene	ricsuite-be-scrip	ts/scripts/aws/set_chali	ice_cnf.sh qa				
CURRENT_FRAMEWORK 'f	astapi' doesn't n	eed 'set_chalice_cnf.sh	' script to run				
sh node_modules/gene	ricsuite-be-scrip	ts/scripts/clean_logs.sh	1				
sh node_modules/gene	ricsuite-be-scrip	its/scripts/aws/run_aws.s	sh run_local		•••••••		
SCRIPTS_DIR: /Users/	carlosramırez/des	arrollo/mediabros_repos/	/github/prico_backend	/node_modules/generi	csuite-be-scripts/sc	rıpts/aws	
REPU_BASEDIR: /Users	/carlosramirez/de	sarrollo/mediabros_repos	s/github/prico_backen	Id			
Stago: dov							
Dont: 5001							
Run method (RUN METH	10D) · uvicorn						
Python entry point (APP DTR APP MATN	FTLF): app.main					
Run over: 1) http, 2) https ?						
1			[R	lunning the Backend in	the local environmer	nt]	
<pre>>> get_domain_name_d</pre>	lev.sh:						
SELF_SCRIPTS_DIR: /U	<u>lsers/carlosramire</u>	z/desarrollo/mediabros_r	<u>repos/github/prico_ba</u>	<pre>ickend/node_modules/ge</pre>	<u>enericsuite-be-scrip</u>	ts/scripts/aws	<u>,/</u>
REPO_BASEDIR: /Users	/carlosramirez/de	sarrollo/mediabros_repos	s/github/prico_backen	nd			
Enable bridge proxy.	··						
Get the IP address o	it the domain	t command Triving with	Ining				
Domain TP: 192 168 1	A A A A A A A A A A A A A A A A A A A	c commaria. Trying with	ping				
Extract port number	 from DEV MASK EXT	HOSTNAME: mediabroscol	duckdns ora				
DEV MASK EXT HOSTNAM	IF doesn't have th	e port number assian de	fault value				
Adding the port numb	per 33815 to media	abroscol, duckdns, ora					
Additing the perior hamb							
NGINX Configuration:							
Domain name: app.p	prico.local						
DEV_MASK_EXT_PORT	catch: 33815:80						
DEV_MASK_EXT_SSL_C	ERT_KEY volume: /	Users/carlosramirez/desa	arrollo/mediabros_rep	os/github/prico_back	end/mediabroscol.duc	kdns.org.key:/	′etc/ng ┚
inx/certs/server.key	r:ro						
DEV_MASK_EXT_SSL_C	ERT_CRT volume: /	Users/carlosramirez/desc	arrollo/mediabros_rep	os/github/prico_back	end/mediabroscol.duc	kdns.org.crt:/	'etc/ng

• • •				make run						て第1
icsuite-be-ai (-zsh) ೫1	nericsuite-be (-zsh)	#2te-be-scripts (-zsh)	жз	nericsuite-fe (-zsh)	ж4icsuite	e-fe-ai (-zsh)	make (python)	ж6	rico_frontend (-z	sh) <u>87</u> -
🛱 22%	1 II 3.5 GB	믪_ 14 kB↓	12 kB↑ │ `	ዩ python • python • sh • n	nake 🗀 ~/d/m/	github/prico_backend	ド PC-3_create_be_	repo_and_b 🕇	Q~ chain =	
sh node_modules/gen	ericsuite-be-scrip	pts/scripts/clean_l	ogs.sh						Ć	ъ Д в I
sh node_modules/gen	ericsuite-be-scrip	pts/scripts/secure_	local_s	erver/run.sh "d	own" ""					
Local Backend Serve Action: down Stage (STAGE):	r over a secure co	onnection								
App name (APP_NAME) Current framework (Python entry point	: Prico (prico) CURRENT_FRAMEWORK (APP_DIR.APP_MAIN_): fastapi _FILE): app.main								
Scripts directory (ripts/secure_local_ Repository base dir	SCRIPTS_DIR): /Uso server ectory (REPO_BASE	ers/carlosramirez/c DIR): /Users/carlos	desarrol [®] sramirez	lo/mediabros_re /desarrollo/med	pos/github/ iabros_repo	/prico_backen	d/node_modules co_backend	/generics	suite-be-scr	ripts/sc
Stopping the local	backend server ove	er a secure connect	ion.							
Error response from Error response from Error response from Error response from	daemon: No such o daemon: No such o daemon: No such o daemon: No such o	container: sls-back container: sls-back container: sls-ngir container: sls-ngir	kend kend IX IX		[R	unning the Ba	ckend in the loc	cal enviro	nment]	
NOTE: The warning ' >> Old APP_CORS_ORI >> New APP_CORS_ORI pipenv run uvicorn	-i used with no f [.] GIN: * GIN: * app.main:appre	ilenames on the com eloadhost 0.0.0.	ımand li 0por	ne, reading fro t 5001	m STDIN.' i	.s normal				
Loading .env enviro INFO: Will watc INFO: Uvicorn r INFO: Started r Prico-INFO - [mongo INFO: Started s INFO: Waiting f INFO: Applicati	nment variables h for changes in f unning on http://d eloader process [2] 2024-05-23 11:09 erver process [29] or application startup complet	these directories: 0.0.0.0:5001 (Press 29750] using WatchF 5:51 Prico v0.0.1 754] artup. te.	['/User s CTRL+C F iles LØ Acc	s/carlosramirez to quit) epting connecti	/desarrollc ons from: *	o/mediabros_ro	epos/github/pr	ico_backe	end']	

•••			sh						て第1
icsuite-be-ai (-zsh)	nericsuite-be (-zsh) #2	te-be-scripts (-zsh) #3	nericsuite-fe (-zsh)	ж4	icsuite-fe-ai (-zsh)	sh (sh)	ж6	rico_frontend ((-zsh) \$37
□ 10%	1 3.6 GB	_ ⊟⊒ 0.0 kB↓ <u>k</u> 0.0 kB↑	ៃ នh		🗀 ~/d/m/github/prico_backend	りPC-3_create_be_rep	oo_and_b 🛉	Q~ chain =	
Obtaining depender 5d83905660e9a088078f Using cached PyYAM Using cached PyYAML- Installing collected Successfully install	ncy information for F Fe67/PyYAML-6.0.1-cp3 ML-6.0.1-cp311-cp311- 6.0.1-cp311-cp311-ma d packages: PyYAML ed PyYAML-6.0.1	PyYAML==6.0.1 from htt 311-cp311-macosx_11_0 macosx_11_0_arm64.whl acosx_11_0_arm64.whl (ps://files.pytho arm64.whl.metada metadata (2.1 k (167 kB)	nhost ta B)	ed.org/packages/28/0	09/55f715ddbf95	5a054b764	4b547f617d	e22f1d5e4
[notice] A new relea [notice] To update,	ase of pip is availa run: pip installu	ole: 23.2.1 -> 24.0 upgrade pip							
Generating DynamoDB	table definitions fo	or SAM template							
base_config_path: /l target_template_path	Jsers/carlosramirez/a n: /tmp/generate_sam_	lesarrollo/mediabros_r _dynamodb/template.yml	repos/github/pric	o_bad	ckend/app/config_dbde	ef			
Start directory: /Us File: general_consta File: users_profile. Table: users File: users.json Table: users File: ai_chatbot_cor	sers/carlosramirez/de ants.json json nversations.json	esarrollo/mediabros_re	epos/github/prico	_bacl	kend/app/config_dbdef	F/frontend			
Table: ai_chatbot_co File: users_config.j Table: users	onversations json		[Generating the D	ynan	noDB SAM definitions	from the JSON o	config file	es]	
File: app_constants.	json								
Table: general_config	J.JSON								
Tuble. general_conti	-9								
DynamoDB table defir	nitions saved to /tmp	o/generate_sam_dynamod	b/template.yml						
Generated SAM templo	ate file in: /namodb/template.yml								

Do you want to edit it (y/n)?

•••	÷			
! templa	ate.yml ×			ана на
tmp > ge	enerate_sam_dynamodb > ! template.yml			
1 1	JsersTable:			
2	Type: AWS::DynamoDB::Table			
3	Properties:			
4	TableName: prico_users			
5	AttributeDefinitions:			
6	<pre>- AttributeName: id</pre>			
7	AttributeType: S			-
8	KeySchema:			
9	<pre>- AttributeName: id</pre>			
10	КеуТуре: НАЅН			
11	ProvisionedThroughput:			
12	ReadCapacityUnits: 1			
13	WriteCapacityUnits: 1			
14	AiChatbotConversationsTable:			
15	Type: AWS::DynamoDB::Table			
16	Properties:			
17	TableName: prico_ai_chatbot_conversa	tions		
18	AttributeDefinitions:			
19	- AttributeName: id			
20	AttributeType: S			
21	KeySchema:			
22	- Attributename: 10		[Generating the DynamoDB SAM definitions fr	rom the JSON config files]
23	Reylype: HASH			
24	Provisioned in roughput:			
25	WriteCapacityUnits 1			
20	GeneralConfigTable			
28	Type: AWS::DynamoDB::Table			
29	Properties:			
30	TableName: prico general config			
31	AttributeDefinitions:			
32	– AttributeName: id			
33	AttributeType: S			
34	KeySchema:			

Tools Used

- Github
- AWS
- MongoDB Atlas
- ChatGPT, Claude, Bing Copilot
- AmazonQ para VSC
- Atlassian Jira
- iTerm2
- VSC, Cursor
- Mkdocs, ReadTheDocs



Commitment



- The Open-Source library development implies a great commitment with the Open-Source community, especially with bug fixes, dependency maintenance, frameworks and languages new versions, among many other things.
- E.g. the imminent backdoor on a Linux key component, the XZ Utils Library. Its creator, Lasse Collin, doesn't have enough time to maintain the library and the attackers took advantage of this to orchestrate what could have been one of the most sophisticated cyberattacks in history.
- <u>https://www.securityweek.com/xz-utils-backdoor-attack-brings-another-similar-incident-to-light/</u>

Conclusions

- GenericSuite represents an evolution in my professional career.
- It offers a solution that embraces the principles of generic programming and DRY.
- Streamline processes in the software development cycle (SDLC).
- It has allowed me to create powerful, flexible and cutting-edge applications in the short term.
- Creating Open-Source libraries has been an incredible and empowering experience.
- If you don't have the expertise in a language or technology you want to excel at, create your own project.
- Stop being technology consumers.
 Let's become technology manufacturers.



Q&A

- Could GenericSuite be applied in any of project of yours?
- What functionalities would you like to explore further?







Contact

Carlos J. Ramírez



- Web: www.carlosjramirez.com
- LinkedIn:

www.linkedin.com/in/carlosjramirez

• Github: github.com/tomkat-cr

Documentation



• genericsuite.carlosjramirez.com